

CONTROFRATELLI



**CAGE "MAXI"
FOR DWARF RABBIT 191.70**







53 x 86 x 63 cm

ASSEMBLY INSTRUCTIONS


TOOLS NEEDED:



CONTAINS:




- 1 FRONT MESH
- 1 METAL BACK
- 1 METAL TOP/ROOF
- 1 METAL SUPPORT FOR ROOF
- 1 DEJECTION PAN
- 2 SIDES WITH LEGS



1

FIX THE **FRONT MESH** TO THE TWO SIDE
PANELS WITH LEGS.
(TWO FIXING HOLES ON EACH SIDE.)





2

FIX THE **METAL BACK** TO THE TWO SIDE
PANELS WITH LEGS.
(TWO FIXING HOLES ON EACH SIDE.)





3

POSITION THE **DEJECTION PAN** BY SLIDING
IT ONTO THE TWO RAILS AT THE SIDES WITH
THE LEGS



4

POSITION THE **PLASTIC GRIDS** ON THE
BOTTOM INSIDE THE CAGE.



5



POSITION THE METAL SUPPORT FOR ROOF ON THE EDGE OF THE BACK PANEL.



x 1

6



POSITION THE METAL ROOF ON TOP OF THE CAGE BEING CAREFUL TO MAKE IT FIT INSIDE THE BACK METAL SUPPORT SPACE. HOOK THE **SPRINGS** ON BOTH SIDES OF THE ROOF AND FIX THEM ON THE SIDE HOLES OF THE CAGE.



x 2

7



POSITION FEEDER AND DRINKER AS PER YOUR PET'S NEEDS. FIX THE **DRINKER** TO THE MESH THROUGH THE METAL HOLDER. FIX THE **FEEDER** TO THE MESH WITH THE PLASTIC SUPPORT KIT.



x 1



x 1